UKF

UK FASTENERS

AluminiumMASTER™

QUALITY FASTENERS FOR WINDOWS, DOORS & CONSERVATORIES



TILL & WHITEHEAD

UK Fasteners part of Till & Whitehead Ltd

UK FASTENERS. FOR QUALITY, SERVICE & PRICE.

With over 30 years experience, successfully supplying the window, door and conservatory industry, UK Fasteners offers excellent products and a service that you can rely on.




HELP & ADVICE

Getting precisely the right quality product for the job makes a big difference. Through our experienced and well-trained staff, you can be assured of a correctly recommended fastener. We offer the widest choice of window screw materials in the UK including carbon steel, austenitic stainless steel, MRX modified martensitic, austenitic bimetal and standard martensitic.

Our products are clearly labelled and colour-coded to make on-site identification easy, and with extensive stockholding at our warehouse in Longborough a next day delivery service has become the standard. Bespoke re-order forms are available on request.





MATERIAL TYPES & SPECIFICATION

MATERIAL	SPECIFICATIONS
AUSTENITIC STAINLESS STEEL BI-METAL SCREWS	AUSTENITIC SUS 302 CONFORMS TO BS EN 10263 – 5 : 2001
	CARBON STEEL ASTM C1035 CONFORMS TO BS EN 10263 – 2 : 2001
MRX STAINLESS STEEL	MRX MODIFIED & IMPROVED MARTENSITIC STAINLESS STEEL
MARTENSITIC 410 STAINLESS STEEL	MARTENSITIC SUS410 TO BS EN ISO 3506-1:2009



APPROACHABLE certification

Certificate of Registration

This is to certify that the Quality Management System of:

Till & Whitehead Ltd Inc Till & Whitehead t/a UK Fasteners

Sterling House, Moreton Road, Longborough, Morton-In-Marsh, Gloucester, GL56 0QJ

has been approved by Approachable Certification to the following standard

ISO 9001:2015

Certificate Number: **10244-QMS-001**

Scope of Activities: **The stockholding and supply of industrial fasteners in steel, brass, stainless steel, nylon and plated.**

Signed:
(on behalf of AC)

Initial Registration Date: **15 December 1992**
Issue Date: **14 August 2024**
Expiry Date: **13 August 2027**

This certificate has been issued by Approachable Certification Ltd, 18, The Forum, 2 Tameside Business Park, Windmill Lane, Denton, Manchester, M34 3QS and will remain current subject to the company maintaining its system to the required standard(s). This will be monitored regularly by Approachable Certification

www.approachable.uk.com



APPROACHABLE certification

Certificate of Registration

This is to certify that the Environmental Management System of:

Till & Whitehead Ltd Inc Till & Whitehead t/a UK Fasteners

Sterling House, Moreton Road, Longborough, Morton-In-Marsh, Gloucester, GL56 0QJ

has been approved by Approachable Certification to the following standard

ISO 14001:2015

Certificate Number: **10244-EMS-001**

Scope of Activities: **The stockholding and supply of industrial fasteners in steel, brass, stainless steel, nylon and plated.**

Signed:
(on behalf of AC)

Initial Registration Date: **14 August 2018**
Issue Date: **14 August 2024**
Expiry Date: **13 August 2027**

This certificate has been issued by Approachable Certification Ltd, 18, The Forum, 2 Tameside Business Park, Windmill Lane, Denton, Manchester, M34 3QS and will remain current subject to the company maintaining its system to the required standard(s). This will be monitored regularly by Approachable Certification

www.approachable.uk.com

RAISING THE STANDARD
CONFORMING TO APPROPRIATE BRITISH & EU STANDARDS.

UK Fasteners meet all the following standards – your assurance of independently validated performance and quality.

BS 7412: 2007 – CORROSION RESISTANCE

We confirm that UK Fasteners WindowMASTER® products meet the requirements of BS 7412:2007. All product types have been salt spray tested (SST) by a UKAS registered laboratory and we carry certification to this effect.

BS EN ISO 9001: 2015 – QUALITY AND TRACEABILITY

UK Fasteners have attained certification for this operating standard. Not only do we follow strict control standards during design and development, it also means that all fasteners are fully traceable at all times.

PAS23-1:1999 / PAS24-1:2012 – ENHANCED SECURITY FOR DOORSETS & WINDOWS

Doors and windows fabricated using WindowMASTER® screws have exceeded the requirements of these standards.


BS EN ISO 14001: 2015

Puts environmental management at the heart of an organization's operations, to help meet environmental regulations and improve efficiency and environmental performance.

STAINLESS STEEL SELF TAPPING SCREWS ALSO AVAILABLE IN CARBON STEEL UPON REQUEST

COUNTERSUNK (AB TYPE)

UKF CODE: **2000**




DIN 7982

Length	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	7/8"	1"	1.1/4"	1.1/2"	1.3/4"	2"	2.1/4"	2.1/2"	2.3/4"	3"	3.1/4"	3.5"
Diameter	6.5mm	8mm	9.5mm	13mm	16mm	19mm	22mm	25mm	32mm	38mm	45mm	50mm	55mm	65mm	70mm	75mm	82mm	90mm
No.4 (2.9mm)	•	•	•	•	•	•	•	•	•	•								
No.6 (3.5mm)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
No.7 (3.9mm)			•	•	•	•	•	•	•	•	•	•	•	•	•	•		
No.8 (4.2mm)			•	•	•	•	•	•	•	•	•	•	•	•	•	•		
No.10 (4.8mm)			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
No.12 (5.5mm)				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
No.14 (6.3mm)				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

PAN HEAD (AB TYPE)

UKF CODE: **2100**




DIN 7981

Length	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	7/8"	1"	1.1/4"	1.1/2"	1.3/4"	2"	2.1/4"	2.1/2"	2.3/4"	3"	3.1/4"	3.5"
Diameter	6.5mm	8mm	9.5mm	13mm	16mm	19mm	22mm	25mm	32mm	38mm	45mm	50mm	55mm	65mm	70mm	75mm	82mm	90mm
No.4 (2.9mm)	•		•	•	•	•	•	•	•									
No.6 (3.5mm)	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
No.7 (3.9mm)	•		•	•	•	•	•	•	•	•	•	•	•	•				
No.8 (4.2mm)			•	•	•	•	•	•	•	•	•	•	•	•	•			
No.10 (4.8mm)			•	•	•	•	•	•	•	•	•	•	•	•	•	•		
No.12 (5.5mm)				•	•	•	•	•	•	•	•	•	•	•	•	•		•
No.14 (6.3mm)				•	•	•	•	•	•	•	•	•	•	•	•	•		•

COUNTERSUNK (B TYPE)


UKF CODE: **2200**



Length	1/4"	3/8"	1/2"	5/8"	3/4"	1"
Diameter	6.5mm	9.5mm	13mm	16mm	19mm	25mm
No.4 (2.9mm)	•	•	•	•	•	
No.6 (3.5mm)	•	•	•	•	•	•
No.8 (4.2mm)			•	•	•	•
No.10 (4.8mm)		•	•	•	•	•

PAN HEAD (B TYPE)

UKF CODE: **2300**



Length	1/4"	3/8"	1/2"	5/8"	3/4"	1"
Diameter	6.5mm	9.5mm	13mm	16mm	19mm	25mm
No.4 (2.9mm)	•	•	•	•	•	
No.6 (3.5mm)	•	•	•	•	•	•
No.8 (4.2mm)			•	•	•	•
No.10 (4.8mm)		•	•	•	•	•

TRUNCATED HEAD (B TYPE)


UKF CODE: **2400**



Length	5/16"	3/8"	1"
Diameter	8mm	9.5mm	25mm
No.8 (4.2mm)	•	•	•

FLANGE PAN (AB TYPE)


UKF CODE: **2600**



Length	3/8"	1/2"	5/8"	3/4"	1"	1.1/4"
Diameter	9.5mm	13mm	16mm	19mm	25mm	32mm
No.6 (3.5mm)	•	•	•	•	•	•
No.8 (4.2mm)	•	•	•	•	•	•
No.10 (4.8mm)	•	•	•	•	•	•

* PACK SIZES CAN BE PERSONALISED TO SUIT YOUR REQUIREMENTS

* ALL DRIVE TYPES ARE IN POZI (PZ) AS STANDARD & AVAILABLE IN PHILLIPS (PH) ON REQUEST



POZI (PZ) PHILLIPS (PH) SLOT SOCKET




CODE BUILDER

UKF CODE	+	DIAMETER	+	LENGTH	=	CODE
2000	+	4.8	+	25	=	2000/4.8x25





sales@ukfasteners.co.uk
01242 577077

SPECIALISED STAINLESS STEEL RANGE – SELF DRIVE PHILLIPS SCREWS



AUSTENITIC BI-METAL

PRODUCT	UKF CODE	THREAD DIA (MM)	DRIVE TYPE	LENGTHS & BOX INFORMATION							
	R4500	4.5	PH2	BOX QTY	16mm	19mm	25mm	29.5mm	32mm	38mm	
				INNER:	1000	1000	1000	1000	1000	1000	
				OUTER:	12000	12000	12000	6000	6000	6000	
	QS4500	4.5	PH2/SQ1	BOX QTY	16mm	19mm	25mm	29.5mm	35mm	38mm	45mm
				INNER:	1000	1000	1000	1000	1000	1000	500
				OUTER:	12000	12000	12000	6000	6000	6000	3000
	R4300	4.5	PH2	BOX QTY	16mm	19mm	25mm	29.5mm			
				INNER:	1000	1000	1000	1000			
				OUTER:	12000	12000	6000	6000			
	QS4300	4.5	PH2/SQ1	BOX QTY	16mm	19mm	25mm				
				INNER:	1000	1000	1000				
				OUTER:	12000	12000	12000				




MRX MODIFIED MARTENSITIC

PRODUCT	UKF CODE	THREAD DIA (MM)	DRIVE TYPE	LENGTHS & BOX INFORMATION						
	6000	3.9	PH2	BOX QTY	13mm	16mm	19mm	25mm	32mm	38mm
				INNER:	1000	1000	1000	1000	1000	1000
				OUTER:	12000	12000	12000	8000	4000	4000
	6200	3.9	PH2	BOX QTY	16mm					
				INNER:	1000					
				OUTER:	12000					
	5300	4.2	PH2	BOX QTY	13mm	16mm	19mm	25mm	28mm	
				INNER:	1000	1000	1000	1000	1000	
				OUTER:	12000	12000	8000	8000	4000	
	5000	4.8	PH2	BOX QTY	16mm	25mm				
				INNER:	1000	1000				
				OUTER:	8000	4000				

410 MARTENSITIC, DACROTISED SILVER 1000

PRODUCT	UKF CODE	THREAD DIA (MM)	DRIVE TYPE	LENGTHS & BOX INFORMATION						
	4100	3.9	PH2	BOX QTY	16mm	19mm	25mm	32mm	38mm	
				INNER:	1000	1000	1000	1000	1000	
				OUTER:	12000	12000	12000	8000	4000	
	4000	4.3	PH2	BOX QTY	16mm	19mm	25mm	28mm		
				INNER:	1000	1000	1000	1000		
				OUTER:	10000	8000	4000	6000		

A2 STAINLESS STEEL

PRODUCT	UKF CODE	THREAD DIA (MM)	DRIVE TYPE	LENGTHS & BOX INFORMATION								
	3000	4.8	PH2	13mm	16mm	19mm	23mm	25mm	32mm	38mm	45mm	50mm
				•	•	•	•	•				
	3300		PZ2	13mm	16mm	19mm	23mm	25mm	32mm	38mm	45mm	50mm
		3.9			•	•						
		7.5		•	•			•		•		
		7.5						•		•		•
	3400		PH2 & PZ2	13mm	16mm	19mm	23mm	25mm	32mm	38mm	45mm	50mm
		3.9		•	•	•		•	•		•	
		7.5		•	•	•		•	•	•	•	•
		7.5				•		•	•	•	•	•


CODE BUILDER

UKF CODE + LENGTH = CODE
6000 + 25 = 6000/25

sales@ukfasteners.co.uk
01242 577077

SPECIALISED FIXINGS & FASTENINGS


SOCKET CAP SCREW



SIZES FROM: M3 – M24

VARIOUS LENGTHS AVAILABLE

HEX SET SCREW



SIZES FROM: M2 – M20

VARIOUS LENGTHS AVAILABLE


HEX HEAD BOLT



SIZES FROM: M2 – M20


VARIOUS LENGTHS AVAILABLE

FULL HEXAGON NUT



SIZES FROM: M2 – M20

HALF HEXAGON NUT



SIZES FROM: M2 – M20

HEXAGON NYLON INSERT NUT



SIZES FROM: M2 – M20

FLAT WASHER



SIZES FROM: M2 – M20

SQUARE SECTION SPRING WASHER



SIZES FROM: M2 – M20

MUDGUARD WASHER



SIZES FROM: M2 – M20

COUNTERSUNK RIVET



SIZES FROM: 3.2mm / 4.0mm / 4.8mm

VARIOUS LENGTHS AVAILABLE

DOMEHEAD RIVET



SIZES FROM: 2.4mm / 3.0mm / 3.2mm / 4.0mm
4.8mm / 5.0mm / 6.0mm / 6.4mm

VARIOUS LENGTHS AVAILABLE


LARGE FLANGE RIVET



SIZES FROM: 3.2mm / 4.0mm / 4.8mm

VARIOUS LENGTHS AVAILABLE


COUNTERSUNK MACHINE SCREW



SIZES FROM: M2 – M8

POZI – PHILLIPS – SLOTTED


PANHEAD MACHINE SCREW



SIZES FROM: M2 – M8


POZI – PHILLIPS – SLOTTED

SOCKET SCREW / GRUB SCREW




SIZES FROM: M2 – M20

HEX SOCKET MACHINE SCREWS



SIZES FROM: M2 – M8

RIVET NUT



SIZES FROM: M3 – M10

ALLEN KEYS



ALL SIZES AVAILABLE IN METRIC & IMPERIAL

INT / EXT SERRATED LOCKING WASHER



SIZES FROM: M3 – M20

THIS PAGE SHOWS EXAMPLES OF OUR WIDER RANGE OF SPECIALISED FIXINGS AND FASTENINGS, IF YOU DON'T SEE ONE WHICH MATCHES YOUR REQUIREMENTS, PLEASE CONTACT OUR DEDICATED SALES ADVISORS WHO WILL BE HAPPY TO ASSIST

** ALL PRODUCTS AVAILABLE IN A RANGE OF MATERIAL TYPES **

SECURITY SCREWS

SECURITY SELF-DRILLING SCREWS COUNTERSUNK & PAN HEAD



Hafren security fasteners

SECURITY SELF-TAPPING SCREWS COUNTERSUNK & PAN HEAD



SECURITY MACHINE SCREWS COUNTERSUNK & PAN HEAD



NOTE: MANY OTHER OPTIONS OF SECURITY SCREWS AVAILABLE

UKF


UK FASTENERS

We are proud to partner Hafren Security Fasteners.

Our partnership with Hafren Security Fasteners, enabling us to offer our customers a full range of security and tamper-resistant fasteners.

To find out more visit
www.ukfasteners.co.uk or call us on 01242 577077

SIZE? IF YOU CANT SEE THE SIZE OR PRODUCT YOU'RE LOOKING FOR, JUST ASK US!



TO SCALE

INSTALLATION FIXINGS

DIRECT FIX CONCRETE SCREWS

PRODUCT	UKF CODE	THREAD DIA (MM)	DRIVE TYPE	LENGTHS & BOX INFORMATION												
	9000	7.5	T30	BOX QTY	52mm	62mm	72mm	82mm	92mm	102mm	112mm	122mm	132mm	142mm	152mm	182mm
				INNER:	100	100	100	100	100	100	100	100	100	100	100	100
				OUTER:	1000	1000	1000	1000	800	800	600	600	600	600	600	400
 HIGH CORROSION RESISTANCE	9200	4.5	PH2	BOX QTY	57mm	70mm	82mm	100mm								
				INNER:	100	100	100	100								
				OUTER:	2400	2000	2000	1200								

NYLON FRAME ANCHORS

PRODUCT	UKF CODE	THREAD DIA (MM)	DRIVE TYPE	LENGTHS & BOX INFORMATION			
NYLON FRAME FIXING - SCREW IN TYPE							
	7000	8.0	PZ	BOX QTY	16mm		
				INNER:	100		
NYLON FRAME FIXING - HAMMER IN TYPE							
	7100	8.0	PZ3	BOX QTY	16mm	19mm	
				INNER:	100	100	
NYLON FRAME ANCHOR (2 PIECE)							
	7200	8.0	PZ3	BOX QTY	16mm	19mm	25mm
				INNER:	100	100	100

TF SLIMLINE VENTILATOR



The RW Simon LTD TTF Slimline window trickle ventilator is a through frame trickle ventilator that is a robust, yet stylish aluminium ventilator.

With its built in updraught and various operating modes the TTF Slimline is suitable for all types of windows.

Available in six standard sizes and four standard colours, the unit also has the added option to be coloured and sized to meet most bespoke requirements.

LOUVRE PANELS



The basic requirement for Louvre Panels is to move air in and around a building, thereby creating added comfort and convenience for better living.

Our Louvre Panels come with various blade types and numerous frame choices that allow their use as an integral part of a window system or separately as a stand-alone Louvre.

Blades and frame are made from extruded aluminium for greater strength and accuracy.

Outer frame options:

Glazed-In

Flanged

Surface Mounted


CODE BUILDER

UKF CODE	+	LENGTH	=	CODE
9000	+	122	=	9000/122

sales@ukfasteners.co.uk
01242 577077

KONIG SPECIALIST PRODUCTS

ALUMINIUM REPAIR PRODUCTS



WE STOCK TOUCH-UP PENS & SPRAYS IN POPULAR RAL COLOURS WHICH CARRY OUT COSMETIC REPAIRS TO POWDER COATED ALUMINIUM

KONIG UK
Specialists in Touch-Up & Repair Systems

Small cosmetic damage such as minor scuffs and scratches can be quickly and easily rectified using the Konig range of Aluminium touch up and repair products. Scuffs on an edge can be repaired with a touch up pen, these are available in most Aluminium RAL colours.

For scratches, Konig manufactures an easy sand 2 part filler that fills the damage, it then needs to be levelled off and sprayed with the appropriate colour matched Konig aerosol spray. For more information on how to carry out the repairs and for handy YouTube videos, Scan the QR code:




PLEASE REQUEST OUR CONSUMABLES CATLOGUE FOR DETAILS OF FULL RANGE OF KONIG PRODUCTS

WE ALSO SUPPLY A FULL RANGE OF UPVC WINDOW & DOOR FABRICATION SCREWS

PLEASE SEE OUR WINDOWMASTER CATALOGUE FOR MORE INFORMATION





PLEASE REQUEST OUR CONSUMABLES & HARDWARE CATALOGUE

FOR OUR FULL RANGE OF PRODUCTS


PLEASE RETURN THIS COMPLETED APPLICATION FORM AND WE WILL OPEN YOUR ACCOUNT WITHIN TWO WORKING DAYS: EMAIL TO SALES@UKFASTENERS.CO.UK OR POST/FAX

UK Fasteners – Established 1983
Sterling House
Moreton Road
Longborough
Morton-in-Marsh
Gloucestershire
GL56 0QJ

(Part of Till & Whitehead Ltd Est 1876)
Tel: 01242 577077

APPLICATION TO OPEN A CREDIT ACCOUNT

Company Name:		
Address:	Head Office Address (Where applicable):	
Telephone:	Company Reg. No:	
Fax:	VAT No:	
Please describe your business activity:		
When was your business established:	Email Address:	
MD / Proprietors name(s):		
Purchaser / buyer contact:	Accounts dept. contact:	
Please estimate your projected purchases with us for the next 12 months:		£
Amount of credit requested:		£
Trade References (Please supply two):		
Name:	Name:	
Address:	Address:	
Telephone:	Telephone:	
Please sign this application and acknowledge your agreement to our terms of trade - 30 days net monthly account. Title of goods is retained until payment has been made in full		
Authorised Signature:		Date:
Print Name:	Position:	
FOR UKF USE : EXTERNAL SALES REPRESENTATIVE		



UK FASTENERS

TILL & WHITEHEAD

UK Fasteners part of Till & Whitehead Ltd

Sterling House, Moreton Road, Longborough,
Moreton-in-Marsh GL56 0QJ
Tel: 01242 577077 Fax: 01242 577078
Email: sales@ukfasteners.co.uk
Website: www.ukfasteners.co.uk

Reg Office: Till & Whitehead Ltd
Eadon House, 2 Lonsdale Road, Bolton BL1 4PW
Reg Number: 46963

REVISION 2 E&OE