UK FASTENERS

Hardware products



HARDWARE.

This brochure will guide you through a range of excellent quality hardware products that have been carefully selected to be of specific interest to our industry. All of these products have been rigorously tested to meet the exacting standards required.

Our choice of products is of the highest quality. Many are UK-designed and manufactured and have been developed to enhance the door or window they are fitted to.

Please contact our internal sales team or your sales executive for further information.

Compliant products. For more information se contact UK Fasteners. Yale

The world's favourite lock since 1843


UK FASTENERS OFFER A FULL RE-PINNING & KEY CUTTING SERVICE CONTACT US FOR FURTHER DETAILS TODAY






the weak point in your home security?

basic security are





Yale has a complete range of locks to meet your security needs. Check the cylinder range now at www.yale.co.uk or go to your local Yale stockist.

Sources: The crime prevention website, Association of British insurers, Direct Line, BBC News.





STANDARD SECURITY

SECURITY 6 PIN EURO PROFILE CYLINDER

The Yale 6 pin Euro Profile Cylinder is a convenient everyday locking solution. Tested to the British Standard BS EN1303:2005 the cylinder is suitable as a replacement product on doors that require a standard level of security.

SPECIFICATIONS:

- Replacement 6 pin euro profile cylinder
- Tested to the British Standard BS EN1303:2005
- Standard security level
- 2 year guarantee
- 3 keys supplied

FFATURFS

- Available in Polished Brass and Nickel Plated finish
- Available in euro single, euro double and euro turn



HIGH SECURITY

KM SUPERIOR 1 STAR EURO PROFILE CYLINDER

The Yale KM Superior 1 Star Euro Elite Profile Cylinder has been developed to provide resistance against common cylinder attack methods. This cylinder is British Kitemarked TS007:2014 1 Star security and has been tested to the British Standard BS EN1303:2005. Suitable as a replacement product this cylinder is Secured by Design approved and recommended for use on doors that require a high level of security and attack protection.

SPECIFICATIONS-

- TS007: 2014 1 Star British Kitemarked cylinder
- BSI Kitemark approved KM532920
- Secured by Design approved
- 10 year guarantee
- 3 keys supplied

FEATURES:

- Anti-Bump, Anti-Pick, Anti-Screw and Anti-Drill protection
- Available in euro single, euro double and euro turn
- Available in Polished Brass and Nickel Plated finish

SUPERIOR 1 STAR EURO PROFILE CYLINDER

The Yale Superior 1 Star Euro Profile Cylinder offers British Kitemarked TS007:2014 1 Star security and has been tested to the British Standards BS EN1303:2005. Suitable for PVCu, wood and composite doors, this cylinder is Secure by Design approved.

SPECIFICATIONS:

- TS007:2014 1 Star Kite British Kitemarked cylinder
- BSI Kitemark approved KM559658
- Advanced pin tumbler technology
- Superior physical strength
- 10 year guarantee
- 3 keys supplied

FEATURES:

- Anti-bump, Anti-pick, Anti-screw and Anti-Drill protection
- Over 100,000 combinations for ultimate key security
- Secured by Design approved
- Available in euro single, euro double and euro thumb turn
- Available in Polished Brass and Nickel Plated finish



MAXIMUM SECURITY PLATINUM 3 STAR EURO PROFILE CYLINDER

The Yale Platinum 3 Star Cylinder is a TS007:2014 3 star Kitemarked Anti-Snap, Bump, Pick and Pull security product which provides superior strength against known cylinder attack methods. The Platinum 3 Star Cylinder has been independently tested by BSI to be awarded the British Kitemarked TS007:2014 3 star accreditation.

SPECIFICATIONS:

- British Kitemarked TS007:2014 3 star
- Tested to the British Standard BS EN1303:2005
- BSI Kitemark approved KM559658
- Advanced pin tumbler technology
- Superior physical strength
- Secured by Design approved
- 10 year guarantee
- 3 keys supplied

FEATURES:

- Anti-Snap, Anti-Bump, Anti-Pick, Anti-Screw and Anti-Drill protection
- Available in euro single, euro double and euro turn
- Available in Polished Brass and Bright Nickel finish
- Key card identification to easily identify key cutting code
- · Flat, horizontal key way with reversible key (doesn't matter
- which way around you put the key in lock)

CYLINDER FEATURES COMPARISON PLATINUM 3 STAR EURO PROFILE CYLINDER

	REDUCT Y	NEW PRODUCT
Features	STANDARD SECURITY	HIGH SECU
	Security 6 Pin	KM Superior
Anti-Screw	No	Yes
Anti-Pick	No	Yes
Anti-Drill	No	Yes
Anti-Bump	No	Yes
Anti-Snap Kitemark Approved	No	No
BSI TS007 1 Star KM Approved	No	Yes
BSI TS007 3 Star KM Approved	No	No
Secured by Design Approved	No	Yes
Guarantee	2 Years	10 Years

 \mathfrak{P}

STANDARDS EXPLAINED



TS007 is a standard developed in response to concerns over cylinder attacks. The standard is characterised by a 3 star rating system, and can be achieved by combining a 1 star cylinder with a 2 star security door furniture or using a stand alone 3 star cylinder. The Platinum Series Euro Profile Cylinders are approved to TS007 3 stars and do not require any additional security furniture.





NEW

PRODUCT






ESCAPE FAST WITH THE MULTI-POINT PANIC DOOR LOCK

Designed specifically to work with Lockmaster multi-point door locks, the Lockmaster panic door system is a flexible accredited system offering emergency egress for a wide range of applications.

- Suitable for use in high frequency applications
- Tested to 200,000 cycles
- For use with doors up to 200kg
- Safe to use on escape route doors
- High corrosion resistance (240hrs NSS)
- Grade security level 1000N
- Standard horizontal bar projection up to 150mm
- A 'push bar' type A panic device
- For use with outward opening single and double doors
- Fully compliant with EN 1125(certificate no: 37601421AA)

UNIVERSAL PROFESSIONAL (P) (P) (P) (P) (P) x3 🔈

Ŵ



A revolution in replacement locking from Yale.

Innovative & easy to install, designed to fit most doors.

STANDARD SECURITY UNIVERSAL

Doormaster™ Universal uses the latest patented technology from Yale to ensure security and simplicity of installation.

- Centre hook protects against attack, preventing separation
- 1-piece easy adjustment mushroom rollers for smooth operation and to help prevent separation
- Adjustable rollers create a weather-tight seal
- Fully-assembled 1-piece keep including patented Uni-packer™ system for fast. easy and reliable installation
- Fixing tabs make fitting easy and more Secure
- 10 year guarantee

HIGH SECURITY PROFESSIONAL

Several patented features, plus a choice of faceplate widths and backset sizes, make this lock the ideal choice where a higher level of security is required.

- Tested to Police Approved Secured By Design standard and PAS 24 door set capable
- Adjustable rollers create a weather-tight seal
- Variants available for PVCu & Composite/ Timber doors
- 3 hooks for High Security anti-separation • Crop when fitting for greater adjustment
- Supplied with pre-assembled keeps including patented Uni-packer™ system
- for fast, easy and reliable installation Supplied with split spindles for nightlatch operation

UK FASTENERS

• 10 year guarantee



- 1 2
- 34
- 56 78
- 90

(1) (#)

mind with convenience by allowing you to access and protect your property without a key.

Whether you use the remote control like with your car, or enter your own personal code into the built-in keypad, Yale Keyfree couldn't be easier to use - and because it's brought to you by Yale, you know it's technology you can trust.

MULTIPLE KEYFREE OPTIONS

A small, remote control keyfob with a 10-metre range can be used to unlock your home – or enter your own personal code (4 to 12 digits) into the built-in kevpad.

ROBUST AND RELIABLE

Keyfree requires no hard wiring, and has been rigorously tested under extreme weather conditions.

SECURITY MATTERS

Feeling safe at all times is a must for any homeowner. Keyfree has been designed and tested to meet Secured by Design - the UK police initiative for safer homes - and also features a built-in 80-decibel alarm to scare off anyone who tries to attack the lock!

LETTERPLATES

These ranges of stylish, British manufactured letter-plates have been designed to provide an exemplary level of construction and weather resistance. They are supplied to you in a variety of colour options and have the flexibility to fit a wide range of applications.



PRODUCT	UKF Code	DESCRIPTION LENGTHS & FINISHES AVAILABLE		BOX QUANTITY
	STANDARD Letterplate	Internal & external sprung flaps. Available with black or white PVC-u surround	10" & 12" Anodised Gold & Silver, White, Polished Gold & Silver, Black and Chrome	25
	SLIMLINE Letterplate	All aluminium slim-line letterplate	12" Anodised Gold & Silver, White, Polished Gold & Silver, Black and Chrome	20



• 10" and 12" variants

• 20-40mm and 40-80mm telescopic sleeves available

DISCONTINUED WHILE STOCKS LAST

SAY HELLO TO A NEW AGE IN DOOR SECURITY. SAY HELLO TO YALE KEYFREE.

Keyfree is the very latest in door security from Yale, and combines peace of



Insurance approved and tested to Police Approved Standards.

Built-in alarm to prevent tampering



Keyfree operation – never get locked out again

Total freedom – no need to carry keys with you.



Self contained power – still operates during power cuts.


Mechanical key & bypass battery backup.



Designed and built to Secured by Design Standards.

SPECIFICATION

- Available in a wide range of colours
- All models accept full A4 size mail
- 10 year mechanical guarantee
- Premium all aluminium variant available
- External weather seal and internal draught seal as standard
- Brushes fitted as standard





Yale


🚯 Bluetooth





The future of door locks is here

The Conexis[™] L1 Smart Lock gives you freedom to secure your home without the need for a key. Easy to fit & use, you now have complete control on how you unlock your door.



Twist

Twist & Go Requires a gesture of twisting your phone 90 degrees to unlock your lock.



Mobile Keys With the Yale Lock App you can send Mobile Keys to friends and family.



WAYS TO OPEN YOUR DOOR





KEY CARD

KEY TAG

Security

Twist & Go[™] (Turn your phone 90° to unlock your door) 3 minute lock out if incorrect card/tag is presented 5 times Tamper alarm

Features

Send and receive Yale[®] Mobile Keys Simple to fit (1 x screwdriver required) Fits all 92mm centred Multi-point locks Battery operated Low battery indicator with emergency battery connection All credentials and settings remain if batteries are replaced Configure the lock using the Yale app Set user schedules (Yale[®] Mobile Keys Only) Receive audit trails (Yale" Mobile Keys Only)

Connectivity

Connects to Yale^{*} Smart Alarm and CCTV range Connects to other leading Smart Home Systems

SPECIFICATION

- Operating temperature -15°C to 55°C
- IP55 weather resistant
- Low power consumption batteries last up to 1 year
- 4 x AA batteries
- 2 year guarantee

Please Note: The lock can only have one module installed.

 For more information on Yale's Smart Living range visit: www.yale.co.uk/smart-living Find us on Facebook and Twitter or visit our blog at: www.yalesmartliving.co.uk

ASSA ABLOY

The smarter way to protect your home.

The smarter way to protect your home.





1 1 **1**

~
~

Requires Yale Module
When Appropriate Module Is Fitted



FRAMEVENT

The UKF Frame-Vent is ideal for both PVCu and timber window applications.

Manufactured in the UK from the highest quality U.V. stabilised PVCu. The style of this vent reflects the growing market trend towards softer lines. However it is also extremely durable, easy to fit and fully tested to the relevant British




SPECIFICATION

- Available in 5000 mm² and 2500mm² equivalent area models for compliance with Approved Document F 2010
- A robust, smooth, slim, elegant and rounded design
- Snap-on quick fit end caps
- Available in eight colours: Standard White, Bright White, Dark Brown, Tan, Green, Black, Anthracite and Cream
- (2500mm²) 400mm variant also available in dual colours: Standard or Brilliant White on Tan, Brown and Black
- Integral flyscreen in external hood
- Available with rod control
- Suitable for PVCu, timber and aluminium windows
- Tested in accordance with BS EN 1026:2000 & BS EN 1027:2000 weather performance
- Sleeves available to ensure full compliance with BS 7412:2002
- Independently acoustically tested in accordance with BS EN 20140-10:1992, ISO 140-10:1991

PRODUCT	LENGTH	EA AS PER BS 13141-1:2004	SLOT SIZE	BOX Quantity	ROD Control
FRAMEVENT 2500-10	400mm	2500mm ²	365 x 10mm	50	٠
FRAMEVENT 5000-10	795mm	5000mm ²	2 x (365 x 10mm) + (35mm land)	50	٠
FRAMEVENT 2500-12.5	400mm	2500mm ²	330 x 12.5mm	50	•
FRAMEVENT 5000-12.5	795mm	5000mm ²	2 x (330 x 12.5mm) + (35mm land)	50	•
FRAMEVENT 2500-15	300mm	2500mm ²	245 x 15mm	50	-
FRAMEVENT 5000-15	595mm	5000mm ²	2 x (245 x 15mm) + (35mm land)	50	-

NO MINIMUM ORDER QUANTITIES – JUST ORDER WHAT YOU NEED!





UKF FRAMEVENT STOCK RANGE

SINGLE COLOUR VENTS

SINGLE CULUUR VENIS			
DESCRIPTION	COLOUR	300mm	400mm
Standard White		٠	٠
Brilliant White		٠	•
Brown		٠	٠
Tan		٠	٠
Cream		•	•
Black		•	•
Anthracite		•	•
Chartwell Green		•	•

COLOUR ON WHITE VENTS

DESCRIPTION	COLOUR	300mm	400mm
Brown on Standard White		•	•
Brown on Brilliant White		•	•
Tan on Standard White		•	•
Tan on Brilliant White		•	•
Cream on Standard White		•	•
Cream on Brilliant White		•	•
Black on Standard White		•	•
Black on Brilliant White		•	•
Anthracite on Standard White		•	•
Anthracite on Brilliant White		•	•
Chartwell Green on Standard White		•	•
Chartwell Green on Brilliant White		•	•





UK FASTENERS



Sterling House, Moreton Road, Longborough, Moreton-in-Marsh GL56 OQJ Tel: 01242 577077 Fax: 01242 577078 Email: sales@ukfasteners.co.uk Website: www.ukfasteners.co.uk

Reg Office: Till & Whitehead Ltd Eadon House, 2 Lonsdale Road, Bolton BL1 4PW Reg Number: 46963